RICOH

Ricoh is a global technology company specializing in office imaging equipment, production print solutions, document management systems and IT services. Headquartered in Tokyo, Ricoh Group, operates in more than 200 countries and regions. In the financial year ending March 2011, Ricoh Group had worldwide sales of 1,942 billion yen (approximately 23 billion US dollars).

The majority of the company's revenue comes from products, solutions and services that improve the interaction between people and information. Ricoh also produces award-winning digital cameras and specialized industrial products. It is known for the quality of its technology, and the exceptional standards of its customer service and sustainability initiatives.

Under its corporate tagline, imagine. change., Ricoh helps companies transform the way they work and harness the collective imagination of their employees.

imagine. change.

Ricoh helps companies and individuals transform the way they work and harness their collective imagination.

We are always moving forward with new ideas and new ways of improving lives. Change is driven by imaginative thinking. That is the proposition of the Ricoh brand.

These two words describe the way we work with each other, the way we bring value to our customers' businesses, the way we interact with the market.

They express our belief in the creative potential of individuals and organizations, our emphasis on forward thinking and positive results.

For those who want to transform their business and leverage the collective knowledge and imagination of their people, the solution is as simple as imagine. change.

It is more than just a new tagline.

It's the essence of the Ricoh brand experience.

Desk Edge Series

Ricoh's new PJ X3351N/ PJ WX3351N Desk Edge DLP projectors provide exceptional image clarity and convenient versatility. These units have been ergonomically designed with all the connections and fan located on the front of the unit so they can be placed on the edge of a desk. This allows the cables to drape over the front of the desk instead of creating a mess in the middle of the table. They can also be easily ceiling or wall mounted. The X3351N and WX3351N models offer networking capability for wireless connectivity, are 3500lm/3600lm and offer a contrast ratio of 13000:1. Input and output connections include RGB, Video, Audio, USB and HDMI which can be used to connect a Blue Ray player to view 3D movies (glasses optional).

New Affordable 2240 Series

The Ricoh 2240 Series is the perfect solution for schools looking to provide classrooms with a bright durable projector. Available in a range of resolutions (S, XGA and WXGA) you can select the one that fits your classroom needs the best. The image size can be anywhere from 30" to a huge 300". A bright 3,000lm image with 10,000:1 contrast ratio make these units perfect for everything from PowerPoints to movies. The DLP engine will even allow you to show 3D images to the class. The lamp can last up to 6,000 hours in the Eco mode.

Ultra Short Throw Projectors

The Award winning Ricoh WX4141N and NI Ultra Short Throw (UST) projectors are the smallest and lightest UST on the market and can be placed just inches away from the wall and project an image as large as 80" diagonal. They provide 3300lm, networking capability for wireless connections and can be mounted above or below the screen. The NI model offers a digital pen and interactivity. This makes a powerful teaching tool for any classroom.

New HD Model

The Ricoh PJ HD5450 is a high resolution (1920 x 1080 dpi) HD projector, capable of displaying an image size from 30" – 302" in diameter. The HD5450 is 3500lm and uses a single chip DPLs that produces bright accurate colors. Ideal for house of worship, the HD5450's sharp HD image will display everything from beautiful images to crisp detailed text. An HDMI input provides highest-quality video from DVD players and Blu-ray players. Other connection options include VGA, DVI and USB input. Designed to be light weight and portable, this unit can be placed on a table or ceiling mounted for front or rear projection.

DESK EDGE SERIES COMPARISON

PJ X3351N	PJ WX3351N
Resolution: XGA 1024 x 768	**Resolution:** WXGA 1280 x 800
Brightness: 3500 Lumens	**Brightness:** 3600 Lumens
Contrast: 13,000:1	**Contrast:** 13,000:1
Image: 30-400”	**Image:** 40-400”
XGA Network	**WXGA Network**

3500 Lumens

HD Ready HDMI 3D COMPATIBLE WIRELESS

PJ X3351N XGA DLP Desk Edge Projector

Users can project any networked Mac or PC from the projected surface and transform conventional screens into smartboards. USB-compliant devices let you deliver computer-free presentations and the multi-screen mode allows users in up to four different rooms, with four different projectors, to view the same presentation seamlessly. Employs an Auto Focus feature that automatically adjusts the focus when the projector is first turned on or moved.

PJ X3351N

SPECIFICATIONS:

Resolution	**Aspect Ratio**	**Weight**
XGA 1024 x 768	4:3, Supports 16:9	6.8lbs
Display Device	**Throw Ratio**	**Included Accessories**
.65” DLP	1.1	Power Cord, VGA Cable,
Brightness	**Image Size**	Remote Control, Batteries,
3500 Lumens	30” – 400”	User Manual CD, Quick
Contrast Ratio	**Throw Distance**	Reference Guide, Carrying
13,000:1	26.7” – 283.4”	Case, Warranty Sheet.

INPUTS/OUTPUTS:

HDMI | VGA x2 | RCA Video | 3.5mm x2 | USB | Ethernet

• Comes with 3 Year Depot Exchange Warranty.

Featured Product

3600 Lumens

HD Ready HDMI 3D COMPATIBLE WIRELESS

PJ WX3351N WXGA DLP Desk Edge Projector

See how compelling business presentations can be with the RICOH PJ WX3351 Desk Edge projection system. Take advantage of revolutionary lens technology, advanced connectivity options and quiet, efficient operation for impressive, High Definition projection in conference and training rooms. The innovative Desk Edge Series is designed with forward-facing exhaust and easy-to-reach controls, so it can sit on a table’s edge without distracting the audience. With QuickProjection, users can easily identify all available networked projectors. A simple one-time installation using the Network Utility (included on the CD-ROM) provides fast access to all networked projectors. Employs an Auto Focus feature that automatically adjusts the focus for a sharp image when the projector is first turned on or moved.

PJ WX3351N

SPECIFICATIONS:

Resolution	**Aspect Ratio**	**Weight**
WXGA 1280 x 800	16:10, Supports 4:3	6.8lbs
Display Device	**Throw Ratio**	**Included Accessories**
0.65” DLP	0.9	Power Cord, VGA Cable,
Brightness	**Image Size**	Remote Control, Batteries,
3600 Lumens	40” – 400”	User Manual CD, Quick
Contrast Ratio	**Throw Distance**	Reference Guide, Carrying
13,000:1	30.3” – 288.5”	Case, Warranty Sheet.

INPUTS/OUTPUTS:

HDMI | VGA x2 | RCA Video | 3.5mm x2 | USB | Ethernet

• Comes with 3 Year Depot Exchange Warranty.

RICOH

Showcase your best ideas wherever you go

The old adage is true: Some things have to be seen to be believed. Choose the RICOH® PJ S2240/PJ X2240/PJ WX2240 to share information on the big screen with more people in more places in stunning clarity. Take the lightweight business projection system with you and conduct presentations, show videos, movies and more in vivid color and sharp resolutions at projection sizes ranging from 30" to 300" wide— making it perfect whether you're in the conference room or the classroom. Backed by world-class service and support, these projectors are ideally designed for today's mobile workplace.

Customize presentations for every audience

You tailored content to suit your audience. Shouldn't you do the same with how it looks? With the Ricoh PJ S2240/PJ X2240/PJ WX2240, you can present high-quality images at impressive resolutions to accommodate your message, environment and audience. Choose from SVGA or XGA resolution to showcase images, presentations and more. Need even higher detail? With WXGA resolution, more information can be displayed in widescreen format with crisp lines and stunning clarity when connected to digital and video cameras and DVD players.

Carry your best ideas with you

Academic staff and corporate professionals alike rely on personal mobile devices to perform everyday tasks. Now you can have this same freedom of movement with your business projector. With the portable and lightweight Ricoh PJ S2240/PJ X2240/PJ WX2240, you can move from one presentation location to the next with ease to put your ideas in front of your audience — wherever they are.

PJ S2240 SVGA DLP Mobile Projector

Captivate classroom and conference room audiences with stunning presentations. You can share information brilliantly with RICOH PJ S2240 portable projectors. At a surprisingly low price, you can get bells and whistles like DLP technology, 3D projection, widescreen format and Eco Mode.

3D COMPATIBLE

HDMI HIGH-DEFINITION MULTIMEDIA INTERFACE

3000 Lumens

PJ S2240

SPECIFICATIONS:

Resolution SVGA 800 x 600	**Aspect Ratio** 4:3, Supports 16:9	**Weight** 5.75lbs
Display Device 0.55" DLP	**Throw Ratio** NA	**Included Accessories** Power Cord, VGA Cable,
Brightness 3000 Lumens	**Image Size** 30" – 300"	Remote Control, Batteries, User Manual CD, Quick
Contrast Ratio 2000:1	**Throw Distance** 37" – 393.7"	Reference Guide, Warranty Sheet.

INPUTS/OUTPUTS:

HDMI | VGA | S-Video | RCA Video | USB | RS-232

MUSTANG

SC-F106G169
16:9 Fixed Frame Screen
- 106" Diagonal Size
- 92" x 52" Physical Dimensions
- HDTV Aspect Ratio 16:9
- High Contrast Gray Surface

SecureAVCart

CAT700SYSNP
Complete AV System
The CAT700 product line was designed inside a rugged, well- ventilated, powder coated steel console. It has heavy duty swivel wheels, a full rack rail system in the front as well as in the rear. The CAT700 System is available in easy to assemble kits or can be ordered fully assembled in the factory and shipped complete with a system warranty. You provide the projector – we provide the rest.
System Assembled with NO Projector - (So You Can Install Your Own)

MOBILE SERIES COMPARISON

PJ S2240N	PJ X3351N	PJ WX3351N
Resolution: SGA 800 x 600	**Resolution:** XGA 1024 x 768	**Resolution:** WXGA 1280 x 800
Brightness: 3000 Lumens	**Brightness:** 3000 Lumens	**Brightness:** 3100 Lumens
Contrast: 2200:1	**Contrast:** 2200:1	**Contrast:** 2000:1
Image: 30-300”	**Image:** 30-300”	**Image:** 40-400”
XGA Network	**XGA Network**	**WXGA Network**

3000 Lumens

PJ X2240 XGA DLP Mobile Projector

Captivate classroom and conference room audiences with stunning presentations. You can share information brilliantly with RICOH PJ X2240 portable projectors. At a surprisingly low price, you can get bells and whistles like DLP technology, 3D projection, widescreen format and Eco Mode.

PJ X2240

SPECIFICATIONS:

Resolution XGA 1024 x 768	**Aspect Ratio** 4:3, Supports 16:9	**Weight** 5.75lbs
Display Device .55” DLP	**Throw Ratio** NA	**Included Accessories** Power Cord, VGA Cable,
Brightness 3100 Lumens	**Image Size** 30” – 300”	Remote Control, Batteries, User Manual CD, Quick
Contrast Ratio 2200:1	**Throw Distance** 37” – 393.7”	Reference Guide, Carrying Case, Warranty Sheet.

INPUTS/OUTPUTS:

HDMI | VGA x 3 | S-Video | RCA Video | 3.5mm x 3 | USB | RS-232

Featured Product

3100 Lumens

PJ WX2240 WXGA DLP Mobile Projector

Captivate classroom and conference room audiences with stunning presentations. You can share information brilliantly with RICOH PJ WX2240 portable projectors. At a surprisingly low price, you can get bells and whistles like DLP technology, 3D projection, widescreen format and Eco Mode.

PJ WX2240

SPECIFICATIONS:

Resolution WXGA 1280 x 800	**Aspect Ratio** 16:10, Supports 4:3	**Weight** 5.75lbs
Display Device 0.65” DLP	**Throw Ratio** NA	**Included Accessories** Power Cord, VGA Cable,
Brightness 3100 Lumens	**Image Size** 30” – 300”	Remote Control, Batteries, User Manual CD, Quick
Contrast Ratio 2000:1	**Throw Distance** 37” – 393.7”	Reference Guide, Carrying Case, Warranty Sheet.

INPUTS/OUTPUTS:

HDMI | VGA x 3 | S-Video | RCA Video | 3.5mm x 3 | USB | RS-232

RICOH

3D Glasses Type 2
Part # 512511
ALL DLP Projectors

CHIEF

RSM
Mini Elite™ Custom Projector Mount
Ideal for smaller projector models, these miniature versions of the RPA Elite mounts include all the same great features in almost half the size.

WE RECOMMEND

RICOH

SHORT THROW SERIES COMPARISON

PJ X4241N	PJ WX4241N
Resolution: XGA 1024 x 768	**Resolution:** WXGA 1280 x 800
Brightness: 3300 Lumens	**Brightness:** 3300 Lumens
Contrast: 13,000:1	**Contrast:** 13,000:1
Image: 50-400"	**Image:** 60-400"
XGA	**WXGA**

PJ X4241N XGA DLP Short Throw Projector

Presenters can take advantage of its exceptional image quality, advanced connectivity, intuitive controls and flexibility. Mount the projector, place it on a table's edge as a standalone system, or this short-throw projector can be combined with eBeam to make the perfect classroom or boardroom interactive solution.

3D COMPATIBLE · HD Ready · HDMI HIGH-DEFINITION MULTIMEDIA INTERFACE · 3300 Lumens

PJ X4241N

SPECIFICATIONS:

Resolution XGA 1024 x 768	**Aspect Ratio** 4:3, Supports 16:9	**Weight** 6.8lbs
Display Device .55" DLP	**Throw Ratio** .57	**Included Accessories** Power Cord, VGA Cable,
Brightness 3300 Lumens	**Image Size** 50" – 400"	Remote Control, Batteries, User Manual CD, Quick
Contrast Ratio 13,000:1	**Throw Distance** 23.2" – 58.6"	Reference Guide, Warranty Sheet.

INPUTS/OUTPUTS:

HDMI · VGA x2 · RCA Video · 3.5mm x2 · USB · Ethernet

- Comes with 3 Year Depot Exchange Warranty.

Featured Product

PJ WX4241N WXGA DLP Short Throw Projector

Get closer to the action and enhance student interaction with the compact RICOH PJ WX4240N projection system. Use it to project large screen presentations in High Definition from close distances to maximize impact and classroom space — while minimizing instructor distractions. The short-throw projection system significantly reduces glare and shadows, so instructors can conduct interactive presentations with more clarity and more student participation.

3D COMPATIBLE · HD Ready · HDMI HIGH-DEFINITION MULTIMEDIA INTERFACE · 3300 Lumens · WIRELESS

PJ WX4241N

SPECIFICATIONS:

Resolution WXGA 1280 x 800	**Aspect Ratio** 16:10, Supports 4:3	**Weight** 6.8lbs
Display Device 0.65" DLP	**Throw Ratio** .47	**Included Accessories** Power Cord, VGA Cable,
Brightness 3300 Lumens	**Image Size** 60" – 400"	Remote Control, Batteries, User Manual CD, Quick
Contrast Ratio 13,000:1	**Throw Distance** 24" – 58.2"	Reference Guide, Network Utilities CD, Warranty Sheet.

INPUTS/OUTPUTS:

HDMI · VGA x2 · RCA Video · 3.5mm x2 · USB · Ethernet

- Comes with 3 Year Depot Exchange Warranty.

RICOH

Ricoh® Interactive Kit Type 2
512711
Ricoh® Interactive Kit for the PJ X3340/N, PJ WX3340/N and PJ X/WX4240N Projectors.
Transform your projector into a fully interactive experience. The Interactive Kit Type 2 transforms the PJ 3340 and PJ 4240N Series into an interactive projector that is ideal for both business and education applications. The user can install the interactive module in the projector and have the projector up and running in minutes!

STANDARD SERIES COMPARISON

PJ WX5371N	PJ WX5361N
Resolution: XGA 1024 x 768	**Resolution:** WXGA 1280 x 800
Brightness: 5000 Lumens	**Brightness:** 4500 Lumens
Contrast: 4000:1	**Contrast:** 4000:1
Image: 25-300”	**Image:** 25-300”
High Bright XGA	**High Bright WXGA**

5000 Lumens

PJ X5371N 3LCD XGA Projector

The PJ X5371N projector is a bright 5000 lumens with XGA (1024 x 768) resolution with a 4000:1 contrast ratio, long lamp life and standard wired networking! Add in the optional wireless and you can connect to the projector across your wired and wireless networks.

PJ X5371N

SPECIFICATIONS:

Resolution	**Aspect Ratio**	**Weight**
XGA 1024 x 768	4:3, Supports 16:9	9.25lbs
Display Device	**Throw Ratio**	**Included Accessories**
.63” 3LCD	1.3 – 2.2:1	Power Cord, VGA Cable,
Brightness	**Image Size**	Remote Control, Batteries,
5000 Lumens	25” – 300”	User Manual CD, Quick
Contrast Ratio	**Throw Distance**	Reference Guide, Network
4000:1	25” – 543”	Utilities CD, Warranty Sheet.

INPUTS/OUTPUTS:

x 2 HDMI · x 2 VGA · S-Video · RCA Video · Stereo · x 3 3.5mm · RS-232 · USB · Ethernet

Featured Product

4500 Lumens

PJ WX5361N 3LCD WXGA Projector

The PJ WX5361N projector is a bright 4500 lumens with WXGA (1280 x 800) resolution with a 4000:1 contrast ratio, long lamp life and standard wired networking! Add in the optional wireless and you can connect to the projector across your wired and wireless networks. With advanced functions like geometric correction and file sharing, the PJ WX5361N is a great solution for business and education applications.

PJ WX5361N

SPECIFICATIONS:

Resolution	**Aspect Ratio**	**Weight**
WXGA 1280 x 800	16:10, Supports 4:3	9.25lbs
Display Device	**Throw Ratio**	**Included Accessories**
.59” 3LCD	1.3 – 2.2:1	Power Cord, VGA Cable,
Brightness	**Image Size**	Remote Control, Batteries,
4500 Lumens	25” – 300”	User Manual CD, Quick
Contrast Ratio	**Throw Distance**	Reference Guide, Network
4000:1	25” – 543”	Utilities CD, Warranty Sheet.

INPUTS/OUTPUTS:

x 2 HDMI · x 2 VGA · S-Video · RCA Video · Stereo · x 3 3.5mm · RS-232 · USB · Ethernet

MUSTANG

MV-FCAP-W - False Ceiling Plate
The Mustang MV-FCPA-W is an 8” x 24” false ceiling plate adapter that will support 1.5” NPT threaded pipe for applications that have a drop/false ceiling. Designed with ease-of-installation in mind, the MV-FCPA-W includes two junction box knockouts that fit with a standard outlet box for a clean, safe installation.

MUSTANG

SC-M106D169
16:9 Manual Mounted Screen
- 106” Diagonal Size
- 96” x 64” Physical Dimensions
- HDTV Aspect Ratio 16:9
- Matte White Surface

RICOH

Present your message with greater clarity for less cost

Whether you realize it or not, you're in a heated competition. You're vying for attention from an audience that's inundated with information from all sides. How do you make your message stand out from the crowd? How do you make it memorable so it leaves a lasting impression? With the RICOH® PJ X5460/PJ WX5460/PJ HD5450, you can elevate the look of your presentations, training, teaching, seminars and more to engage your audience and encourage collaboration. Integrate it with other Ricoh business communication systems — including interactive whiteboards, digital signage and video conferencing tools — to get your message in front of people quickly, in the format they prefer, so they can digest the information easier and use it to make faster, smarter decisions.

Showcase your presentation in a better light

Say goodbye to poorly lit presentations that can barely be seen from the third row of a midsized conference room or classroom. With the Ricoh PJ X5460/PJ WX5460/PJ HD5450 and up to 4,100 lumens lighting the way, you can project incredibly bright images so your audience can see every detail in every drawing, x-ray and specification — even when rooms offer minimal light. Take advantage of HDMI connectivity and a high contrast rate of up to 10,000:1 to display huge action-packed moving images or to highlight the smallest print on a financial spreadsheet with impeccable precision every time.

Make every image better

A distorted or oddly colored projected image is not going to help get your message across. And who has the time to adjust settings to correct it? With the Ricoh PJ X5460/PJ WX5460/PJ HD5450, whether you're projecting on a white, gray, beige or green background — or even a blackboard — colors in every image adjust automatically via Wall Color Correction to compensate for the presentation surface. In addition, manual focus and Keystone Correction Image Adjustment allow for crisp, even images on almost any projected surface.

PJ X5460 XGA DLP Standard Projector

The more stress-free your presentation, the better — especially when you're sharing information with up to 30 people. Feel confident that every image is bright and clear with the PJ WX5460 standard widescreen projector, which automatically adjusts for wall color and corrects any image distortion.

3D COMPATIBLE

HDMI HIGH-DEFINITION MULTIMEDIA INTERFACE

4000 Lumens

PJ X5460

SPECIFICATIONS:

Resolution XGA 1024 x 768	**Aspect Ratio** 4:3, Supports 16:9	**Weight** 6.6lbs
Display Device .55" DLP	**Throw Ratio** 1.95 – 2.15:1	**Included Accessories** Power Cord, VGA Cable,
Brightness 4000 Lumens	**Image Size** 30" – 300"	Remote, Batteries, User Manual CD, Projector
Contrast Ratio 2200:1	**Throw Distance** 48" – 472"	Management Utility, Carrying Case, Lens Cap.

INPUTS/OUTPUTS:

HDMI | VGA x 3 | S-Video | RCA Video | 3.5mm x 3 | USB | RS-232

RICOH

3D Glasses Type 2
Part # 512511
ALL DLP Projectors

C2G Cables To Go

56781
1' High Speed HDMI Cable with Ethernet
Experience the latest HDMI features with the C2G High Speed HDMI Cable with Ethernet
- 4K@50/60, (2160p); four times the clarity of 1080p/60 video resolution.
- 3D video, Deep Color and x.v. Color™.
- Dolby® True HD, DTS-HD Master Audio and up to 32 audio channels for a multi-dimensional immersive audio experience.
- Up to 1536kHz audio sample frequency for the highest audio fidelity.
- Simultaneous delivery of dual video streams to multiple users on the same screen.

STANDARD PROJECTOR SERIES COMPARISON

PJ X5460	PJ WX5460	PJ HD5450
Resolution: XGA 1024 x 768	**Resolution:** WXGA 1280 x 800	**Resolution:** HD 1920 x 1080
Brightness: 4000 Lumens	**Brightness:** 4100 Lumens	**Brightness:** 3500 Lumens
Contrast: 2200:1	**Contrast:** 2000:1	**Contrast:** 2000:1
Image: 30-300”	**Image:** 30-300”	**Image:** 38-300”
XGA	**WXGA**	**HD 1080P**

4100 Lumens

PJ WX5460 WXGA DLP Standard Projector

The more stress-free your presentation, the better — especially when you’re sharing information with up to 30 people. Feel confident that every image is bright and clear with the PJ WX5460 standard widescreen projector, which automatically adjusts for wall color and corrects any image distortion.

PJ WX5460

SPECIFICATIONS:

Resolution	**Aspect Ratio**	**Weight**
WXGA 1280 x 800	16:10, Supports 4:3	6.6lbs
Display Device	**Throw Ratio**	**Included Accessories**
0.65” DLP	1.55 – 1.7:1	Power Cord, VGA Cable,
Brightness	**Image Size**	Remote, Batteries, User
4100 Lumens	30” – 300”	Manual CD, Projector
Contrast Ratio	**Throw Distance**	Management Utility, Carrying
2000:1	40” – 394”	Case, Lens Cap.

INPUTS/OUTPUTS:

HDMI · VGA x 3 · S-Video · RCA Video · 3.5mm x 3 · USB · RS-232

Featured Product

3500 Lumens

PJ HD5450 Full HD DLP Standard Projector

Communicate fine details in presentations that include financial spreadsheets, medical images, law enforcement photos or other critical information. Ricoh’s PJ HD5450 projector is designed to be an easy-to-use, affordable High Definition projector for midsized conference rooms and classrooms.

PJ HD5450

SPECIFICATIONS:

Resolution	**Aspect Ratio**	**Weight**
FULL HD 1920 x 1080	16:9, Supports 4:3	6.6lbs
Display Device	**Throw Ratio**	**Included Accessories**
0.65” DLP	1.5 – 1.8:1	Power Cord, VGA Cable,
Brightness	**Image Size**	Remote, Batteries, User
3500 Lumens	38” – 300”	Manual CD, Projector
Contrast Ratio	**Throw Distance**	Management Utility, Carrying
2000:1	59” – 394”	Case, Lens Cap.

INPUTS/OUTPUTS:

HDMI · VGA x 3 · S-Video · RCA Video · 3.5mm x 3 · USB · RS-232

RICOH

Optional Wireless Module
Part # 431072
For Projectors PJ X5371N / PJ WX5361N

MUSTANG

SC-F106G169
16:9 Fixed Frame Screen
- 106” Diagonal Size
- 92” x 52” Physical Dimensions
- HDTV Aspect Ratio 16:9
- High Contrast Gray Surface

RICOH

ULTRA SHORT THROW SERIES COMPARISON

PJ WX4141N	PJ WX4130N
Resolution: WXGA 1280 x 800	**Resolution:** WXGA 1280 x 800
Brightness: 3300 Lumens	**Brightness:** 3300 Lumens
Contrast: 5000:1	**Contrast:** 5000:1
Image: 48-80"	**Image:** 48-80"
WXGA	**WXGA Interactive**

PJ WX4141N WXGA DLP Ultra Short Throw Projector

The RICOH PJ WX4141N packs cutting-edge innovations — including network connectivity, remote management and optional interactive features — into a space-saving footprint for more compelling, less distracting presentations. The ultra-short throw projector can be placed within inches of any flat, vertical surface in offices, classrooms and public spaces for bright, crisp displays up to 80" diagonal without shadows, noise or glare.

3D COMPATIBLE · HD Ready · HDMI HIGH-DEFINITION MULTIMEDIA INTERFACE · 3300 Lumens · WIRELESS

PJ WX4141N

SPECIFICATIONS:

Resolution	**Aspect Ratio**	**Weight**
WXGA 1280 x 800	16:10, Supports 4:3	6.6lbs
Display Device	**Throw Ratio**	**Included Accessories**
0.65" DLP	.19	Power Cord, VGA Cable,
Brightness	**Image Size**	Control, Batteries, Carry
3300 Lumens	48" – 80"	Case, User Manual CD,
Contrast Ratio	**Throw Distance**	Network Utilities CD.
5000:1	4.6" – 9.8"	

INPUTS/OUTPUTS:

HDMI · VGA · RCA Video · 3.5mm x 2 · USB x 2 · Ethernet

Featured Product

PJ WX4141NI WXGA DLP Ultra Short Throw Projector

The RICOH PJ WX4141NI transforms conventional screens into interactive whiteboards with Ricoh PJ Interactive Software. With it, presenters can share screens remotely, add notes directly to presentations and tailor every presentation, even when presenting to multiple audiences in multiple locations. For advanced interactive features, users can add Luidia eBeam® software — no external sensors or wires are necessary. Using DNLA, you can even project images from your smartphone or tablet as part of your presentation.

3D COMPATIBLE · HD Ready · HDMI HIGH-DEFINITION MULTIMEDIA INTERFACE · 3300 Lumens · WIRELESS

PJ WX4141NI

SPECIFICATIONS:

Resolution	**Aspect Ratio**	**Weight**
WXGA 1280 x 800	16:10, Supports 4:3	6.6lbs
Display Device	**Throw Ratio**	**Included Accessories**
0.65" DLP	.19	Power Cord, VGA Cable,
Brightness	**Image Size**	Control, Batteries, Carry
3300 Lumens	48" – 80"	Case, User Manual CD,
Contrast Ratio	**Throw Distance**	Network Utilities CD,
5000:1	4.6" – 9.8"	Interactive Kit and Software.

INPUTS/OUTPUTS:

HDMI · VGA · RCA Video · 3.5mm · USB · Ethernet

MUSTANG

SC-F106CW169
106" Fixed Fram Screen
This Mustang's fixed frame projection screen is easily assembled and installed. This Mustang fixed frame projection screen offers a clean line design that also delivers top-of-the-line performance.
- 106" Diagonal Size
- 96" x 54" Physical Dimensions
- 16:9 Home Theater Aspect Ratio
- Cinema White Surface